

Super Energy
SAVING



AVEEN C 10.66

Outdoor Fixed LED Display

AVEEN C 10.66

Outdoor Fixed LED Display



Ultra Low Power

ENERGY SAVING

Outdoor Fixed LED Display

- Outdoor LED Panels
- Low power consumption, super energy saving
- Front and Rear Servicing
- Waterproof Module
- Fully enclosed structure with rubber gasket and waterproof module seals off the electronic components from moisture.

Ultra low power consumption, the 1st option for saving energy

8,000 nits brightness with 330W/sqm power consumption, 50% less than the traditional panels. Excellent display performance, the 1st option for millions of advertising operators.

Intelligent panel design, real time feedback

Real time monitoring temperature, humidity, module voltage, cables loosen, & etc. without cable and card, improving the speed of service

Design conciseness with low operation cost

20% less than traditional panel weight, 1/3 less thickness, saving your transportation and labor cost.



Specifications:

General Specifications

AVEEN C 10.66

Model	C 10.66
LED Type	1R1G1B
Pixel Pitch (mm)	10.66
Panel Dimensions (WxHxD)/(mm)	1280×1280×150
Pixel Per Panel	120×120
Panel Weight (kg)	62
Panel Material	Steel
Module Dimensions (WxH)/(mm)	320×320
Brightness (nit)	8000
Contrast Ratio	5500:1
Refresh Rate (Hz)	1920
Gray scale (bit)	16
Color Temperature (K)	7500
Viewing Angle (H/V) (°)	120/60
Driving Type	1/5
AC Operating Voltage (V)	100~240
Power Consumption (Max./Avg.)(W/m²)	330/110
Storage Temperature (°C)	- 40~ + 60
Operating Temperature (°C)	- 20~ + 50
Storage Humidity (RH)	10 % ~90 %
Operating Humidity (RH)	10 % ~90 %
IP Rating (Front/Rear)	IP65/IP54
LED Lifetime (H)	100000
Module Maintenance	Front/Rear

Front Service Available



Insert tool into the maintenance hole



Horizontal pull module



Disassemble cables, and take the module directly



Panel



Traditional Panel

Head Quarters

Address : Keizersgracht 241, 1016 EA Amsterdam
Tel # +31202612885

Contact:

Email : info@aveenbv.com
: sales@aveenbv.com
: support@aveenbv.com