



Professional Rental

HD LED Display

AVEEN SPR 1.25

Fine Pitch LED Display

AVEEN SPR 1.25

Fine Pitch LED Display



Exclusive Visual Feast

Indoor Fixed LED Display

- High refresh rate and High grayscale.
- High Display Performance
- High refresh rate, low brightness with high grayscale
- Easy and quick installation
- Easy and quick front maintenance

Easy realization of Full HD and 4K big screen effect

Display screen can be spliced into any size and any direction, multi-standard video formats are available, easily realize Full HD and 4K video effect; screen performance is unique.

Low brightness with high gray level, more delicate display performance

Adopt high-quality LED blackbody SMD lamp with black mask, the contrast ratio is up to 3000: 1, and the picture is clearer and vivid;



Modular cables free design, plug-and-play power supply

It innovates in designing the power supply and cables as a module, plug and play. Connecting piece is shrapnel-type connector of military level, with the speed increased by 10 times compared with the traditional pin header/female header connector, simple, fast and efficient.



Specifications:

General Specifications

AVEEN SPR 1.25

Model	SPR 1.25
LED Type	0808 3in1 SMD
Pixel Pitch (mm)	1.25
Panel Dimensions (WxHxD)/(mm)	400X300X120
Pixel Per Panel	320X240
Panel Weight (kg)	7.2
Panel Material	Diecasting Aluminum
Module Dimensions (WxH)/(mm)	400X300
Brightness (nit)	600
Color Contrast	3600:1
Refresh Rate (Hz)	3840
Gray scale (bit)	14
Color Temperature (K)	7500
Viewing Angle (H/V) (°)	160/160
Driving Type	1/30
AC Operating Voltage (V)	100~240
Power Consumption (Max./Avg.)(W/m²)	790/265
Storage Temperature (°C)	-40~+60
Operating Temperature (°C)	-10~+40
Storage Humidity (RH)	10% ~90%
Operating Humidity (RH)	10% ~90%
IP Rating (Front/Rear)	IP40/IP21
LED Lifetime (H)	100000
Module Maintenance	Rear

Multifunctional connecting piece,
fast, simple and convenient



Seamless splicing and installation
type to assemble screen freely



Head Quarters

Address : Keizersgracht 241, 1016 EA Amsterdam
Tel # +31202612885

Contact:

Email : info@aveenbv.com
: sales@aveenbv.com
: support@aveenbv.com